IN THE CLAIMS:

Please amend Claims 1 and 9 to read as follows. Note that all claims currently pending in this application, including those not presently being amended, have been reproduced below for the Examiner's convenience.

SUD 1

(Currently Amended) A camera comprising:

a physical element, arranged in a photographing optical system, that can change light transmission factor throughout said physical element;

photoelectric conversion means for receiving an optical image transmitted through said physical element at a position of an imaging plane, and for converting the optical image into an electrical image signal;

memory means for storing correcting information for an output level change of said photoelectric conversion means caused by correcting a change in an optical characteristic of said physical element with respect to a change of the light transmission factor throughout said physical element; and

control means for (i) correcting the electrical image signal output from said photoelectric conversion means using the correcting information read out from said memory means in accordance with the current corresponding to the light transmission factor throughout said physical element, to correct the change in the optical characteristic of the physical element, and (ii) controlling drive of said physical element according to the corrected electrical image signal.

Carry Carry

- 2. (Original) A camera according to claim 1, wherein said control means adjusts a stored correction amount of wavelength dependency characteristics of the light transmission factor.
- 3. (Original) A camera according to claim 1, wherein said control means corrects said change by auto white-balance control for an output signal from said photoelectric conversion means.
- 4. (Original) A camera according to claim 1, wherein said control means corrects said change by changing a sensitivity of said photoelectric conversion means in accordance with a light wavelength.
- 5. (Original) A camera according to claim 4, wherein said control means corrects said change by a filter provided with one of said photographing optical system and said photoelectric conversion means.
- 6. (Original) A camera according to claim 1, wherein said control means corrects said change by arranging another physical element capable of controlling a light transmission factor in the photographing optical system.
- 7. (Original) A camera according to claim 1, wherein said control means comprises storage means for storing at least one of the light transmission factor

wavelength dependency of said physical element and the correction amount of the light transmission factor wavelength dependency of said physical element.

8. (Original) A video camera according to claim 7, wherein said storage means stores at least one of a plurality of light transmission factor wavelength dependencies and a plurality of correction amounts in accordance with at least one of the light transmission factor and the light transmission amount of said physical element.

9. (Currently Amended) A camera comprising:

a physical element that can change a light transmission factor throughout said physical element;

photoelectric conversion means for receiving an optical image transmitted through said physical element at a position of an imaging plane, for converting the optical image into an electrical image signal, and capable of adjusting at least one of a light accumulation time and a sensitivity;

memory means for storing correcting information for an output level change of said photoelectric conversion means caused by correcting a change in an optical characteristic of said physical element with respect to a change of the light transmission factor throughout said physical element;

photoelectric conversion means using the correcting information read out from said memory means in accordance with the current corresponding to the light transmission

factor throughout said physical element, to correct the change in the optical characteristic of the physical element; and

exposure amount adjustment means for controlling an exposure amount by a combination of adjusting at least one of the light transmission factor and the light transmission amount of said physical element according to the electrical image signal corrected by said correcting means, and adjusting at least one of the light accumulation time and the sensitivity of said photoelectric conversion means.

- 10. (Original) A video camera according to claim 9, wherein said exposure amount adjustment means electrically adjusts at least one of the light transmission factor and the light transmission amount of said physical element.
- 11. (Original) A video camera according to claim 9, wherein said exposure amount adjustment means adjusts at least one of the light transmission factor and the light transmission amount of said physical element in accordance with incident light.
- 12. (Original) A video camera according to claim 9, wherein said exposure amount adjustment means comprises storage means for storing at least one relationship between at least one ofthe light transmission factor and the light transmission amount of said physical element and at least one of the light accumulation time and the sensitivity of said photoelectric conversion means.